



Product Catalog

Metin Emaye Sac Sanayi ve Ticaret

Orhanlı Beldesi, Okul Cad. No:14
34956 Tuzla - ISTANBUL - TÜRKİYE

Telefon : +90 216 394 35 86 (6 lines)

Faks : +90 216 394 35 92

GSM DE : +49 176 760 64 285

GSM TR : +90 532 273 14 41

sales@meltemgas.com

<http://meltemgas.com>

KEBAP MACHINES

MD Series Doner Kebab Machines with upper motor (gas)



MD-3



MD-4




MD-5



0063 BR6015

- Body is made of AISI 304 stainless steel.
- The machines operate with natural gas or propane gas.
- Heating burners are ourselves production.
- Gas valves have got safety inlet.
- Heat insulated motor can turn 1 cycle/min left side or right side
- Thermocouples and cover gauzes are made of AISI 310 S stainless steel.



Model		MD-3	MD-4	MD-5
A Width	mm	515	515	565
B Depth	mm	550	550	600
C Height	mm	960	1120	1280
D Max. Height of Meat	mm	480	640	800
Max. Weight of Meat	Kg	40	70	120
Gas Inlet	Inch	1/2	1/2	1/2
Electric Inlet	V	1N PE 230V AC 50-60Hz		
Type of Burner		MELTEM R-3		
Heater	Pcs	3	4	5
Net Weight	Kg	30,5	33,5	42

MC Series Doner Kebap Machines with upper motor (gas)



MC-3



MC-4




MC-5



0063 BR6015

- Body is made of AISI 304 stainless steel.
- The machines operate with natural gas or propane gas.
- Heating burners are ourselves production.
- Gas valves have got safety inlet.
- Heat insulated motor can turn 1 cycle/min left side or right side
- Thermocouples and cover gauzes are made of AISI 310 S stainless steel .



Model		MC-3	MC-4	MC-5
A Width	mm	460	460	460
B Depth	mm	550	550	550
C Height	mm	880	1000	1120
D Max. Height of Meat	mm	360	480	600
Max. Weight of Meat	Kg	20	30	50
Gas Inlet	Inch	1/2	1/2	1/2
Electric Inlet	V	1N PE 230V AC 50-60Hz		
Type of Burner		MELTEM R-6		
Heater	Pcs	3	4	5
Net Weight	Kg	26	29	31

MB Series Doner Kebap Machines with bottom motor (gas)



MB-3




MC-4



0063 BR6015

- Body is made of AISI 304 stainless steel.
- The machines operate with natural gas or propane gas.
- Heating burners are ourselves production.
- Gas valves have got safety inlet.
- Heat insulated motor can turn 1 cycle/min left side or right side
- Thermocouples and cover gauzes are made of AISI 310 S stainless steel.



Model		MB-3	MB-4
A Width	mm	520	520
B Depth	mm	635	635
C Height	mm	915	1080
D Max. Height of Meat	mm	550	700
Max. Weight of Meat	Kg	30	50
Gas Inlet	Inch	1/2	1/2
Electric Inlet	V	1N PE 230V AC 50-60Hz	
Type of Burner		MELTEM R-4	
Heater	Pcs	3	4
Net Weight	Kg	34	40

KEBAP BURNERS

R-1



- a) Power : 3.2 Kw. ,it operates with LPG or NG.
- b) Body is made from plated aluminium iron sheet. Gauze is made from 304 AISI inox.
- c) Regulator type 500 mm SS 2Kg/h LPG
- d) The ceramic plaque has got ISO 9002 certificate.
- e) Quality certificate by T.S.E.

R-2 ve R-2 z



- a) Power : 3.2 Kw, it operates with LPG or NG.
- b) Body is made from plated aluminium iron sheet. Gauze is made from 304 AISI inox.
- c) Regulator type 500 mm SS 2Kg/h LPG
- d) The ceramic plaque has got ISO 9002 certificate.
- e) Quality certificate by T.S.E.
- f) It has appropriated Europe Gas Directory (CE)

R-3



- a) Power : 3.2 Kw, it operates with LPG or NG.
- b) Body is made from plated aluminium iron sheet.
- c) Regulator type 500 mm SS 2Kg/h LPG
- d) The ceramic plaque has got ISO 9002 certificate.
- e) Quality certificate by T.S.E.
- f) It has appropriated Europe Gas Directory (CE)

R-4



- a) Power : 3.2 Kw.,it operates with LPG or NG.
- b) Body is made from ST 14.03 DKP iron sheet and plated enamel.
- c) Regulator type 500 mm SS 2Kg/h LPG
- d) The ceramic plaque has got ISO 9002 certificate.
- e) Quality certificate by T.S.E.
- f) It has appropriated Europe Gas Directory (CE)

R-5 ve R-5 A



- a) Power : 2.8 Kw.,it operates with LPG or NG.
- b) Body is made from ST 14.03 DKP iron sheet and plated enamel.
- c) Gauze is made from 304 or 310 S AISI inox.
- d) Regulator type 500 mm SS 2Kg/h LPG
- e) The ceramic plaque has got ISO 9002 certificate.
- f) Quality certificate by T.S.E.
- h) It has appropriated Europe Gas Directory (CE)

R-6



- a) Power : 1.7 Kw.,it operates with LPG or NG.
- b) Body is made from plated aluminium iron sheet.
- c) Regulator type 500 mm SS 2Kg/h LPG
- d) The ceramic plaque has got ISO 9002 certificate.
- e) Quality certificate by T.S.E.
- f) It has appropriated Europe Gas Directory (CE)


Chicken Rotate Burner



R-7K



R-7M



R-7U


SPARE PARTS OF KEBAP MACHINES

GM-2 GEAR MOTOR



- All body made of stainless steel.
- First Class electric and heat isolation.
- Silicone cable has protected by stainless steel tube.
- Per minute 1 rpm.
- Double course.
- 230 V AC 50 Hz
- CE certificate

GM-1 GEAR MOTOR



- 230 V AC 50 Hz
- Per minute 1 rpm.
- Double course.
- CE certificate

DT-55 ve 65 DONER TEPSİLERİ



- All body made of stainless steel
- Dimensions 550 x 550 x 45 mm. and 650 x 650 x 45 mm.



DT-X TRAY

- All body made of stainless steel
- For using with bottom motor machine.

SW SKEWER

SW-1 700mm. (12×12) For using with upper motor machine.

SW-2 890mm. (12×12) For using with upper motor machine.

SW-3 1040mm. (12×12) For using with upper motor machine.



SW-4 645mm. (12×12) **For using with bottom motor machine.**

SW-5 810mm. (12×12) **For using with bottom motor machine.**

SW-6 645mm. (15×15) **For using with bottom motor machine.**

SW-7 810mm. (15×15) **For using with bottom motor machine.**

KD - KEBAB DISC

KD-1 150mm.

KD-2 180mm.

KD-3 200mm.

KD-4 250mm.

KD-5 180mm.

KD-6 250mm.



GROUP OF YP

YP-1 HANDCROSS of MEAT



YP-02 MANUEL ROLLER

YP-03 SKEWER FIXED (bottom)

YP-04 SKEWER FIXED (upper)



YP-05 SKEWER PIN

YP-06 PORTER of SKEWER



YP-7 HEAT WING



YP-8 MOBILE TENDON



YP-9 SHOWEL



REPRESENTATIONS

GAS VALVES (with safety inlet)



GV-149

Working temperature max. 80 C.
Working pressure max. 65 mbar.
Main Gas Pipe Diam 16 - 18 - 19 mm.
Pipe Outlet 13 x 1



GV-009

Working temperature max. 80 C.
Working pressure max. 65 mbar.
Main Gas Pipe Diam 12 x 1
Pipe Outlet 10 x 1



GV-048

Working temperature max. 80 C.
Working pressure max. 65 mbar.
Main Gas Pipe Diam 11 x 1
Pipe Outlet 10 x 1 mm.

PEL Pintossi Magnetic Gas Valves



20-S (out of pilot)



21-S (with pilot)



PC-1 Piezzo ignetor

-



PG-1 Group of Pilot

-



SV - STANDARD GAS VALVES

Using LPG or natural gas.



GB-01 THERMOPLASTIC BUTTONS (with 6 mm or 8 mm adapters)

Heat proof.



CP - CERAMIC PLAQUES

CP-01 Cordiarite 132 x 92 x 12 mm

CT - CAPILLARY THERMOSTATS



	CT-01	CT-02	CT-03
Temp. Adjustment Range	30-110 C	50-200 C	50-300 C
Operating Voltage	250 V	250 V	250 V
Operating Current	5 A	5 A	5 A
Max. Body Temp.	150 C	150 C	150 C
Max. Thermocouple Temp.	115 C	210 C	315 C

CG - COVER GAUZE



CG-01 AISI 310 S 250 x 160 mm
 CG-02 AISI 310 S 250 x 115 mm
 CG-03 Any dimension

TE - THERMOCOUPLE ELEMENTS



32cm - 60cm - 80cm - 120cm -150cm

P.TE - THERMOCOUPLE ELEMENTS

(for group of Pilot)

60cm - 80cm - 120cm -150cm

IN - INJECTORS



IN-01 Gas Injector
 IN-02 By-pass Injector
 IN-03 Pressure Injector
 IN-04 R-4 Injector Group

CERTIFICATIONS

Numarası / Number E 4955



Gastec Certification B.V. beyan etmektedir ki

Döner Kebap makinaları

Gastec Certification B.V. hereby declares that the

Döner Kebap Machines

**UD-3, UD-4, UD-5, MD-1, MD-2, MD-3, MD-4,
MD-5, MC-3, MC-4, MC-5, MB-2, MB-3, MB-4**

**Üretici /
made by**

METİN EMAYE SAC SANAYİ ve TİCARET

**Üretildiği Yer /
in**

Istanbul, Turkey,

**Gaz Yakan Cihazlar Direktifinde(90/396/EEC) belirtilen
temel gerekleri sağlamaktadır**

*meet the essential requirements as described in the Directive
on appliances burning gaseous fuels (90/396/EEC)*

PIN / PIN : 0063BR6015

Rapor Numarası / Report number : 130015

Cihaz Tipi / Appliance type : A


Belirtilen ürünler aşağıdaki ülkelerde satılabilecektir:

Mentioned products can be marketed in:

AT II _{2103P}	ES II ₂₁₀₃	LT II _{2103P}	SE II _{2103P}
BE II ₂₁₀₃₊	FI II _{2103P}	LU II _{2103P}	SI II _{2103P}
BG II _{2103P}	FR II ₂₁₀₃₊	LV II _{2103P}	SK II _{2103P}
CH II _{2103P}	GB II ₂₁₀₃	MT I _{38P}	TR II _{2103P}
CY I _{38P}	GR II _{2103P}	NL II _{2103P}	
CZ II _{2103P}	HU II _{2103P}	NO II _{2103P}	
DE II _{2103P}	IE II ₂₁₀₃	PL II _{2103P}	
DK II _{2103P}	IS I _{38P}	PT II ₂₁₀₃	
EE II _{2103P}	IT II ₂₁₀₃	RO II _{2103P}	

* DE; G25-20mbar (LL category) only applicable for UD-3, UD-4, UD-5, MD-1, MD-2, MD-3, MD-4, MD-5

Apeldoorn, 10 May 2007


Ir. M.L.D. van Rij,
Genel Müdür.
General Manager.

GASTEC
Certification

Gastec Certification BV
P.O. Box 137
7300 AC Apeldoorn
Wilhelmina 30
7327 AC Apeldoorn
The Netherlands



SERTİFİKA-CERTIFICATE

Numarası / Number E 4955



SERTİFİKA-CERTIFICATE

GASTEC Certification BV beyan etmektedir ki
GASTEC Certification BV hereby declares that the
Açık Havada kullanılan LPG Cihaz ,tip M4; S3
Outdoor LPG Appliances ,Flueless Non-Domestic Space
Heaters, types M4; S3
Taşınabilir LPG Buhar basıncında çalışan gazlı cihaz, tip
CL; CC
Portable Vapour Pressure Liquefied Gas Appliances, types
CL; CC

Üretici /
made by **METIN EMAYE SAC Sanayi ve
Ticaret - Ltd. Şti.**

Üretildiği Yer /
in **Istanbul, Turkey**

**Gaz Yakan Cihazlar Direktifinde(90/396/EEC) belirtilen
temel gerekleri sağlamaktadır.**
meet the essential requirements as described in the
Directive on appliances burning gaseous fuels
(90/396/EEC).

PIN / PIN : 0063BP3543
Rapor Numarası / Report number : 176543
Cihaz Tipi / Appliance type : A

Belirtilen ürün aşağıdaki ülkeler için onaylanmıştır:

Mentioned products have been approved for:

AT BE CZ DE DK ES FI FR GB GR
HU IE IS IT LU NL NO PT SE TR

Apeldoorn, 5 January 2005


Ir. M.L.D. van Rij,
Genel Müdür.
General Manager.

0501

GASTEC
Certification

Gastec Certification BV
P.O. Box 137
7100 AC Apeldoorn

Willemshoofd 50
7107 AC Apeldoorn
The Netherlands



Numarası / Number E 4955



SERTİFİKA-CERTIFICATE

Gastec Certification BV beyan etmektedir ki
Döner Köbap makinaları
Gastec Certification BV hereby declares that the
Doner Köbap Grills
UD-3 , UD-4 , UD-5

Üretici /
made by **METİN EMAYE SAC SANAYİ ve TİCARET**

Üretildiği Yer /
in **Istanbul, Turkey.**

Gaz Yakan Cihazlar Direktifinde(90/396/EEC) belirtilen temel gerekleri sağlamaktadır


meet the essential requirements as described in the Directive on appliances burning gaseous fuels (90/396/EEC)

PIN / PIN : 0063BR6015
Rapor Numarası / Report number : 130015
Cihaz Tipi / Appliance type : A

Belirtilen ürünler aşağıdaki ülkelerde satılabilecektir.
Mentioned products can be marketed in:

AT	_{2108P}	ES	₂₁₀₃₊	LT	_{2108P}	SE	_{2108P}
BE	_{2E+3+}	FI	_{2108P}	LU	_{2E38P}	SI	_{2108P}
BG	_{2108P}	FR	_{2E+3+}	LV	_{2108P}	SK	_{2108P}
CH	_{2108P}	GB	₂₁₀₃₊	MT	_{38P}	TR	_{2108P}
CY	_{38P}	GR	_{2108P}	NL	_{2E38P}		
CZ	_{2108P}	HU	_{2108P}	NO	_{2108P}		
DE	_{2ELL38P}	IE	₂₁₀₃₊	PL	_{2E38P}		
DK	_{2108P}	IS	_{38P}	PT	₂₁₀₃₊		
EE	_{2108P}	IT	₂₁₀₃₊	RO	_{2108P}		

Apeldoorn, 06 July 2006



Ir. M.L.D. van Rij,
Genel Müdür.
General Manager.

GASTEC
Certification

Gastec Certification BV
P.O. Box 137
7300 AC Apeldoorn
Wimberdal 50
7327 AC Apeldoorn
The Netherlands



DECLARATION



Gastec Certification B.V., hereby declares

That the Döner kebab grills

Types UD-3, UD-4 and UD-5

Made by Metin Emaye Sac Sanayii VE Ticaret
Tuzla
Istanbul
Turkey

Complies with the essential requirements of:

EN 60335-1 Safety of household and similar electrical appliances Part 1: General requirements (October 2002); Amendment A11 (February 2002)

EN 50165 Electrical equipment of non-electric heating appliances for household and similar purposes – Safety requirements (April 1997) Corrigendum C1 (February 1998) and modification A1 (February 2001).

Report number: 130015

This declaration can be used as a reference document for the manufacturer's declaration of conformity for the Low Voltage Directive 73/23/EEC, with applicable Amendments.

Apeldoorn, June 2006

Ing. R. Karel,
Operational Manager
Gastec Certification B.V.

06/016



P.O. Box 137
7300 AC Apeldoorn
The Netherlands
Wilmsdoff 50
7327 AC Apeldoorn

DECLARATION

Metin Emaye Sac Sanayi ve Ticaret

Orhanlı Beldesi, Okul Cad. No:14
34956 Tuzla - ISTANBUL - TÜRKİYE

Telefon : +90 216 394 35 86 (6 lines)

Faks : +90 216 394 35 92

GSM DE : +49 176 760 64 285

GSM TR : +90 532 273 14 41

sales@meltemgas.com

<http://meltemgas.com>